

Complete brewery 10 hl

Complete brewery for sale. 10 hl per brew

The plant includes :

- Mill (up to 500 kg/hour) with conveyor to mashing vessel
- 10 hl brewhouse
- Mashing / Lautering
- Boiling / Whirlpool
- 4 isobarometric (3 bar) fermenters of 20 hl each
- 2 vessel CIP on wheel
- Mobile pump
- Glycol tank and cooling system
- C100 kg/hour steam (gas) boiler
- Rfilling machine-capperisobarometric linear filler-capper (8 filling heads, 8 capping heads)
- Eself-adhesive labeller

Equipment supplied by NDL Craft

Complete brewery up to 6,000 hl/year

20 hl brewhouse

40 hl iso fermentation tanks x 8 pieces

Iso beer filling line : 1,900 bph x 33 cl & 1,200 bph x 75 cl

Keg line : 70 kegs per hour

Utilities : Steam generator, air compressor, etc...

BUHLER destoner

Model MTSC-65/120

Capacity : 6 Tons/hour

Sieving machine

KUNZEL model P2052

6 Tons/hour

New brewhouses 5 à 20 hl

Brand new – European construction

- from 5 to 20 hl
-

20 HL BREWHOUSE (TMCI PADOVAN)

Complete brewhouse from TMCI PADOVAN

20 hl per brew up to 22° plato (malt pouring up to 600 kg)

Malt handling :

- Malt hopper (600 kg max)
- Mill
- Chain conveyors

2 vessel brewhouse of 20 hl (Flexbrau) :

- 1 vessel of mashing, boiling, whirlpool (Automatic PH correction on the mashing water)
- 1 vessel for lauter tune
- 20 hl buffer tank
- Wort cooler
- Condensate recovery system
- Wort aeration
- Hot water tank (60 hl)
- Cold water tank (40 hl)
- Transfer pump with frequency variator

Utilities :

- Steam boiler Mozzi Arturo of 400 kg / hour with water softner and chemical treatment
- Air compressor – 6 bar from Mauguiere type MAV50
- Cooling group of 28,4 KW (can manage up to 100 hl

fermentation capacity)

Steinecker brewhouse (65 hl per brew)

65 hl brewhouse from Steinecker

1. Malt handling

- Malt acceptance by Big Packs
- Malt elevator to conditioning tank
- Grist case
- Malt mill, make Steinecker, type : Maischomat 3003, wet malt mill, built 1997

2. Brewhouse Equipment

3 kettle-Steinecker-Brewhouse with 65 hl cast wort (4 brews / day), complete in stainless steel, drives from below, automated, with new PLC and interface (automation from Unitronics and SCADA interface)

- Mash tun
- Lautertun, with 2-arm raking machine, stainless steel knives, 6-parted stainless steel false bottom
- Wort kettle / Whirlpool, with internal calandria, with tangential inlet, sprayball
- Automated Control for brewhouse until fermenting cellar
- Electrical control cabinets

3. Wort Cooling

- Wort cooler, make Sondex, 1-stage, for ice water, built 1998
- Wort aeration

FERMENTATION TANKS (910 HL)

Holvrieka fermentation tanks

910 hl capacity (770 hl net)

Vessel pressure : 1,5 bar

Glycol cooling zones