

keg caps (tamper evident)

We now sale tamper evident plastic closures for kegs.

Keg caps are necessary to keep debris out of the valve and keep the product undisturbed during travel.

A signature color, custom stamped or printed cap will also make your kegs stand out to others

Our keg caps fit all types of extractor tubes : sankey spears, « A » type spears, triangular spears

Benefits of our keg caps:

- Can be placed manually or with an automatic capper on the extractor tube
- Protects against dust
- Sealing function
- Easy to open
- Can be personalized with your logo
- Many colors available
- Quick delivery
- Cap size available
- Ø 64 mm caps to be used with Sankey spears (S-Type tube).

Come in boxes of 1.000 pieces

- Ø 69 mm caps to be used the Grundy type spear (triangular shaped tube)

Come in boxes of 850 pieces

- Ø 74mm caps to be used with the round and flat spear (« A » type tube)

Come in boxes of 700 pieces

- Colours available

All colors available, can be plain color or personalized with your logo and text (ingredient list)

Please question us for a quote confirming required quantities

and type of cap needed (please send us your logo if you want a personalized cap)

EUROKEG 25-litre drums

- 10,000 barrels available
 - 25 liters
 - 14 tpi
 - Sankey divers
-

Key Keg filler (50 kegs / hour)

M+F Keg-technik

Type MICROMAT M 1/1 F Key keg

Designed to fill key kegs

Capacity : 50-60 kegs / hour

Fitting type : Key keg

Machine built in 2012

Dimensions (L x w x H) : 1300 x 800 x 2200 mm

Energy consumption :

- Hot water : 0,25 L per keykeg
 - Saturated steam : +/- 0,05 kg per keykeg
 - Pressure air : 0,13 m3 per key keg
 - CO2 : 50-75 g for a 20L keykeg (2 bar pressure in the product)
-

Keg filling line

30 kegs per hour x 30 Liters

2 handling lifters pour empty and full kegs

1 outside keg cleaning station

KHS type Innokeg TILL Keg-boy from 2008

With 2 heads

2 CIP tanks : Hot water & caustic

KEG FILLING LINE (40 kegs / hour)

Keg filling Line built by Gruber in 2011

Type KEGmatic 2/1+SAR+AW

Includes :

- Inlet conveyor
- External washer
- Keg filler (40 kegs / hour)
- Outlet conveyor
- CIP intégrée
- Palan
- Saturator from Actinium

Currently runs with A type extractor tubes (round and flat).

Keg line (60 kegs / hour)

Keg filling line

The line is composed of :

- 5 metres of conveyor
- GÖBEL external washer
- 2 metres of conveyors
- GEROSA 4 heads filling line
- 3 vessel CIP (hot water, hot soda, peracetic)
- 2 metres of conveyors

Capacity : 60 kegs per hour (30 litre EUROKEG with A type tubes)

Siemens automation from 2019

Major upgrade carried out in 2019 :

- Bearings
- Pneumatic jacks
- Electrical
- Overhaul of the motors
- Replacement of 2 pumps
- Overall of 3 pumps,
- Overall of steam network

The line is located in France, it is immediately available