EUROKEG 25-litre drums

- 10,000 barrels available
- 25 liters
- 14 tpi
- Sankey divers

Key Keg filler (50 kegs / hour)

```
M+F Keg-techniek
```

Type MICROMAT M 1/1 F Key keg

Designed to fill key kegs

Capacity: 50-60 kegs / hour

Fitting type : Key keg

Machine built in 2012

Dimensions (L x w x H) : $1300 \times 800 \times 2200 \text{ mm}$

Energy consumption :

- Hot water : 0,25 L per keykeg
- Saturated steam : +/- 0,05 kg per keykeg
- Pressure air : 0,13 m3 per key keg
- CO2 : 50-75 g for a 20L keykeg (2 bar pressure in the product)

Keg filling line

30 kegs per hour x 30 Liters

2 handling lifters pour empty and full kegs

1 outside keg cleaning station

KHS type Innokeg TILL Keg-boy from 2008

With 2 heads

2 CIP tanks : Hot water & caustic

KEG FILLING LINE (40 kegs / hour)

Keg filling Line built by Gruber in 2011
Type KEGmatic 2/1+SAR+AW

Includes:

- Inlet conveyor
- External washer

- Keg filler (40 kegs / hour)
- Outlet conveyor
- CIP intégrée
- Palan
- Saturator from Actinium

Currently runs with A type extractor tubes (round and flat).

Keg line (60 kegs / hour)

Keg filling line

The line is composed of :

- 5 metres of conveyor
- GÖBEL external washer
- 2 metres of conveyors
- GEROSA 4 heads filling line
- 3 vessel CIP (hot water, hot soda, peracetic)
- 2 metres of conveyors

Capacity: 60 kegs per hour (30 litre EUROKEG with A type tubes)

Siemens automation from 2019

Major upgrade carried out in 2019 :

- Bearings
- Pneumatic jacks
- Electrical
- Overhaul of the motors
- Replacement of 2 pumps
- Overall of 3 pumps,
- Overall of steam network

The line is located in France, it is immediately available