

STEAM BOILER - CLAYTON - 469 KG/H

CLAYTON steam boiler, model CSMG-30, built in 2017. This unit delivers a flow rate of 469 kg/hour at a stable pressure of 10 bar.

It comes complete with chimney and water treatment system.

TECHNICAL DETAILS

Brand/Manufacturer	CLAYTON
Model	CSMG-30
Year of Construction	2017
Steam capacity	469 kg / hour
Maximum pressure	10 bar
Accessories Included	Fireplace and water treatment

AIR COMPRESSOR - 695 M³/H (42

225, rue Marie Curie - 59118 Wambrechies - FRANCE

Tel +33 (0) 320 93 66 71 - Fax +33 (0) 320 92 80 74

SARL AU CAPITAL DE 41200€ - R.C. LILLE B 331 203 638 - CODE APE 4669 B - TVA FR 59331203638

www.wallart.fr - info@wallart.fr

BAR)

High-pressure industrial air compressor built by ABC (Spain). This 4-stage installation is designed to deliver an effective flow rate of 695 m³ per hour (or 11.575 m³ per minute) at a maximum pressure of 42 bar. The compressor runs at 720 RPM and has a total weight of 7,500 Kg.

TECHNICAL DETAILS :

Brand/Manufacturer	ABC (Spain)
Maximum pressure	42 bar
Effective flow	695 m ³ / h
Effective flow (minute)	11.575 m ³ / min
Floors	4 floors
Speed (RPM)	720
Weight	7500 Kg

COMPLETE CO2 PRODUCTION

225, rue Marie Curie - 59118 Wambrechies - FRANCE

Tel +33 (0) 320 93 66 71 - Fax +33 (0) 320 92 80 74

SARL AU CAPITAL DE 41200€ - R.C. LILLE B 331 203 638 - CODE APE 4669 B - TVA FR 59331203638

www.wallart.fr - info@wallart.fr

UNIT - 250 KG/H

Complete unit for CO2 recovery and production. The plant was built by WITTEMANN (FL-USA) and has a nominal production capacity of 250 Kg per hour.

TECHNICAL DETAILS :

Brand/Manufacturer	WITTEMANN
Location Manufacturer	FL - USA
Rated capacity	250 Kg/h

HORIZONTAL CO2 STORAGE TANK - 20 TONNES

Horizontal storage tank for liquid CO2, built in 2007. It has a massive storage capacity of 20 tonnes. Compliant with the PED 97/23 CE manufacturing code, it is designed to operate at a working pressure of 18 bar (test pressure 32.9 bar).

TECHNICAL DETAILS

225, rue Marie Curie - 59118 Wambrechies - FRANCE

Tel +33 (0) 320 93 66 71 - Fax +33 (0) 320 92 80 74

SARL AU CAPITAL DE 41200€ - R.C. LILLE B 331 203 638 - CODE APE 4669 B - TVA FR 59331203638

www.wallart.fr - info@wallart.fr

Orientation	Horizontal
Year of Construction	2007
Capacity	20 tons
Operating pressure	18 bar
Test pressure	32.9 bar
Manufacturing code	PED 97 / 23 CE

225, rue Marie Curie - 59118 Wambrechies - FRANCE

Tel +33 (0) 320 93 66 71 - Fax +33 (0) 320 92 80 74

SARL AU CAPITAL DE 41200€ - R.C. LILLE B 331 203 638 - CODE APE 4669 B - TVA FR 59331203638

www.wallart.fr - info@wallart.fr