

0ven

2-cavity blower

Still water line for large bottles (5 liters and 5 gallons) 600 bph

```
Categories: Packaging, PET bottles, Soft drinks equipment
Product Short Description:
 LARGE BOTTLE WATER LINE (5 liters and 5 gallons)
 600 bottles per hour
 2 formats:
      • 5-litre PET bottle
      • 5-gallon (19-liter) polycarbonate carboy
 Preform weight (for 5-liter bottle): 94 g
The line consists of :

    Manual blow-moulding machine for production of 5-litre

      PET bottles
Built by Ria Plastix (Hungary) type Petria 1000- 2
```

- OZON HUTOTECHNIKA cooler type FH-Q-5500 E
- Ventilation system (for positive pressure in the bottling room) Pro KLIMA (Croatia) 5000m3/hour
- BARDI type DT1 decapper for 5-gallon carboys (with control and ejection)
- BARDI washer (dimensions L x W x H: $590 \times 220 \times 265 \text{cm}$)
 Type LS12-3R
 - For the 5-liter: Rinsing water + ozone injection (ozone production unit not for sale)
 - For 5 gallons: Pre-rinse with hot water +
 detergent + clean water + ozonated water
- BARDI 3-head filler type RL3 TPI
 With positive airflow FLUXA FILTRI type LVX
 - Mobile cap feeder (can feed 2 cappers)
 - 5-gallon capper
 - KOMPASS capper for 5-liter bottles. Type STAR ONE PF BIG
 - Labeller for 5-litre bottles NOVEX Solutions type ALS204-LH
 - FMT bottle conveyor
 - Manual application of handles (for the 5-liter) or sleeves (5-gallon)
 - Electric shrink oven for sleeves built by PECON

(Croatia)

- Manual palletizing for 5-litre packs
- FMT palletizer for 5-gallon containers (1200×1000 pallets with 8 x 4-layer plastic crates) type PB1000

Product Gallery:







